#### **DIGITAL SPECIALTYS**



#### Office Address:-

Shop No-3, Block-D/1, Rajendra Vihar Apartment Forest Park, Bhubaneswar-751009, Odisha, India

#### **Factory Address:-**

Plot No-359/2436, Ground Floor Near Sukanti Devi Enclave, AIIMS Nagar Lane-1 Patrapada, Aaiginia, Bhubaneswar-751019, Odisha, India

### PRODUCT SPECIFICATION

PRODUCT NAME: LATEX EXAMINATION GLOVES NON STERILE POWDERED SMOOTH (5gm.)

# Special Features

• Quantity Assurance: 100 pcs packed in each box

AQL 2.5 Assurance : Accepted Quality Limit of 2.5 followed

• WeightAssurance :4.8±0.2gms per pc (medium size)

• Shelf Life Assurance: Antioxidant added to increase the shelf life.

#### Product Information

Material : Natural Rubber Latex

Colour : Pale Yellow, the color may vary due to storage time and conditions.

Design : Straight Fingers, Thumb and Fingers in one plane, Fits either hand (Ambidextrous)

Rolled Rim.

Powder Content : <10.0 mg/dm² max(Inside absorbable cornstarch USPXX1)</li>

Sterilization : Non Sterile.

• Labeling : Shall comply with the corresponding labeling specification and customer requirement.

Shelf Life : 3 years from the date of manufacture.

Storage condition : Shall be stored in cool dry place and away from direct light.

### Packaging Details

Inner Box	100 pcs
Master Carton	2000 pcs (100 x 20 inner boxes)

Certifications

: CE

: ISO 9001 : 2015 : ISO 13485: 2016

# **DIGITAL SPECIALTYS**



#### Office Address:-

Shop No-3, Block-D/1, Rajendra Vihar Apartment Forest Park, Bhubaneswar-751009, Odisha, India

#### **Factory Address:-**

Plot No-359/2436, Ground Floor Near Sukanti Devi Enclave, AIIMS Nagar Lane-1 Patrapada, Aaiginia, Bhubaneswar-751019, Odisha, India

## **Physical Dimensions**

Length(mm)	Size	XS	S	М	L	XL
Min	Length	Min 240mm				
Width (mm)	Size	XS	S	M	L	XL
	Width ( <u>+</u> 10)	70 <u>+</u> 10	80 <u>+</u> 10	95 <u>+</u> 10	110 <u>+</u> 10	120 <u>+</u> 10
Thickness(mm)						
Min	Palm	Min 0.08mm (Single Wall) Min 0.08mm (Single Wall)				
	Finger					

# **Physical Properties**

Characteristics	Before Ageing	After Ageing	
		(70± 2°C for166 ± 2 hrs)	
Tensile Strength (Mpa) min.	18 mpa Min	14 mpa Min	
Ultimate Elongation (%) min.	650% Min	500% Min	

# **Directions For Use:**

1.1 Preparation for use: Ensure selection of gloves with correct size.

• Below is the correct glove size width:

Size	XS	S	М	L	XL
Width Range(mm)	70 <u>+</u> 10	80 <u>+</u> 10	95 <u>+</u> 10	110 <u>+</u> 10	120 <u>+</u> 10

## 1.2 How To Use

- Dry hands before donning the gloves.
- Take out the product after checking the package.
- Gloves need to be donned carefully; do not apply excessive force to pull the gloves when donning.
- Keep the fingernails short and change gloves frequently to avoid tearing issue.
- The gloves should be discarded with an appropriate waste disposal container after use according to local disposal regulations.

### **DIGITAL SPECIALTYS**



#### Office Address:-

Shop No-3, Block-D/1, Rajendra Vihar Apartment Forest Park, Bhubaneswar-751009, Odisha, India

#### **Factory Address:-**

Plot No-359/2436, Ground Floor Near Sukanti Devi Enclave, AIIMS Nagar Lane-1 Patrapada, Aaiginia, Bhubaneswar-751019, Odisha, India

## 1.3 Cautions For Use

- The product is for single use only.
- Users should consider the circumstances of use in deciding whether to remove any residual powder on gloves after donning. Powder can be removed by wiping gloves thoroughly with a sterile wet sponge, sterile wet towel or other effective method.
- Isolated cases of allergic reactions to latex product or powder have been reported. If you experience a reaction to this product, discontinue use immediately and seek medical help.

## 1.4 Storage Condition

- The atmosphere must always be conducive to the storage of the gloves.
- Gloves before and after opened for use shall be stored in dark, cool and dry place.
- Gloves need to avoid area with excessive heat. The storage areas need to be controlled below 40°C/104°F.
- Gloves need to be stored at the areas with good air ventilation.
- Gloves need to be shielded from direct sunlight and fluorescent lighting.
- Gloves need to be stored far away from any energy radiating and heat generating equipment.

#### 1.5 Expiration Date

The shelf life of the gloves is 3 years from the date of manufacture.